

View Online at <https://aerobasegroup.com/nsn/5340-01-276-7525>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.000 inches

**Second Leg Length:**

1.000 inches

**Second Leg Width:**

4.750 inches

**First Leg Hole Diameter:**

0.199 inches

**Second Leg Hole Diameter:**

3.750 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

1.875 inches

**Second Leg Distance Between Second And Third Hole Centers Along Width:**

1.875 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.380 inches

**First Leg Thickness:**

0.063 inches

**Second Leg Thickness:**

0.063 inches

**Center Section Height:**

3.870 inches

**Center Section Width:**

4.750 inches

**Center Section Thickness:**

0.063 inches

**First Leg Width:**

2.880 inches

**First Leg Distance Between Hole Centers Along Width:**

2.039 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.420 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.380 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Aluminum alloy 2024

Material Specification:

Qq-a-250/5, t3 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-a-8625 spec.