

View Online at <https://aerobasegroup.com/nsn/5340-01-280-6869>

Mounting Hole Type:

Plain

First Leg Length:

3.005 inches

Second Leg Length:

5.345 inches

Second Leg Width:

3.560 inches

First Leg Slot Length:

0.750 inches

First Leg Slot Width:

0.438 inches

Second Leg Hole Diameter:

2.812 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.780 inches

Second Leg Distance From Edge To Hole Center Along Length:

1.780 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

8.000 inches

First Leg Distance Between Hole Centers Along Width:

4.000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

0.620 inches

Second Leg End Radius:

1.780 inches

First Leg Style:

Angle

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

End radius

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Second leg hole is flat on both sides; color green no. 383

Material:

Steel comp 1010 or steel comp 1011 or steel comp 1012 or steel comp 1013 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020

Material Specification:

Astm a568, t3 assn standard all material responses or astm a568, t5 assn standard all material responses or astm a519 assn standard all material responses

Surface Treatment:

Plastic polyurethane

Surface Treatment Specification:

Mil-c-46168 military specification single treatment response or mil-c-53039 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-46168 spec.