

View Online at <https://aerobasegroup.com/nsn/5340-01-281-0929>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.000 inches

**Second Leg Length:**

2.000 inches

**Second Leg Width:**

2.000 inches

**Second Leg End Width:**

1.760 inches

**First Leg Hole Diameter:**

Between 0.168 inches and 0.174 inches

**Second Leg Hole Diameter:**

Between 0.143 inches and 0.149 inches

**Second Leg Distance Between Upper Hole Centers Along Width:**

0.875 inches

**Second Leg Distance Between Lower Hole Centers Along Width:**

1.406 inches

**Second Leg Distance Between Hole Centers Along Length:**

0.900 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

0.307 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.560 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.380 inches

**First Leg Thickness:**

0.090 inches

**Second Leg Thickness:**

0.090 inches

**First Leg Width:**

2.000 inches

**First Leg End Width:**

1.760 inches

**First Leg Distance Between Hole Centers Along Width:**

1.250 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.380 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.400 inches

**First Leg Style:**

Chamfered ends

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Cutout Length:**

0.750 inches

**Second Leg Cutout Width:**

1.120 inches

**First Leg Chamfer Angle:**

45.0 degrees

**Second Leg Chamfer Angle:**

45.0 degrees

**Special Features:**

0.250 in. Bend r; not ch corner radii 0.120 in.; notch corners chamfered 0.120 in. By 45.0 deg

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-250/11, t4 federal specification single material response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0