

View Online at <https://aerobasegroup.com/nsn/5340-01-282-0930>

First Leg Length:

2.750 inches

Second Leg Length:

3.440 inches

Second Leg Width:

0.180 inches

Second Leg Corner Radius:

0.400 inches

First Leg Slot Length:

0.500 inches

First Leg Slot Width:

0.220 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.400 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.450 inches

Second Leg Slot Length:

0.500 inches

Second Leg Slot Width:

0.220 inches

First Leg Thickness:

0.050 inches

Second Leg Thickness:

0.050 inches

First Leg Width:

0.770 inches

First Leg Corner Radius:

0.400 inches

First Leg Distance Between Hole Centers Along Width:

0.750 inches

First Leg Distance Between Hole Centers Along Length:

2.160 inches

First Leg Distance From Edge To Hole Center Along Width:

0.350 inches

First Leg Distance From Edge To Hole Center Along Length:

0.400 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

Corner radius

Second Leg Hole Arrangement Style:

2 slots

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Material Specification:

Qq-a-250/4 cond t3 federal specification single material response

Surface Treatment:

Anodize

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0