NSN 5340-01-283-2529

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-283-2529

| Mounting Hole Type: |
|---|
| Plain |
| First Leg Length: |
| 0.553 inches |
| Second Leg Length: |
| 0.580 inches |
| Reinforcement Method (non-core): |
| Raised center second leg |
| Second Leg Width: |
| 0.500 inches |
| First Leg Hole Diameter: |
| Between 0.194 inches and 0.209 inches |
| First Leg Thickness: |
| Between 0.037 inches and 0.043 inches |
| Second Leg Thickness: |
| Between 0.037 inches and 0.043 inches |
| First Leg Width: |
| 0.500 inches |
| First Leg Distance From Edge To Hole Center Along Width: |
| 0.250 inches |
| First Leg Distance From Edge To Hole Center Along Length: |
| 0.218 inches |
| First Leg End Radius: |
| 0.376 inches |
| First Leg Style: |
| End radius |
| First Leg Hole Arrangement Style: |
| One hole |
| Second Leg Style: |
| Square |
| Second Leg Hole Arrangement Style: |
| No hole |
| Second Leg Relationship To First Leg: |
| Not identical |
| First Leg Angle: |
| 88.0 degrees |
| Material: |
| Steel comp 631 |
| Material Specification: |
| Mil-s-25043 military specification single material response |
| Surface Treatment: |
| Passivate |
| |

NSN 5340-01-283-2529

Angle Bracket - Page 2 of 2



| Surface Treatment Specification: |
|---|
| Qq-p-35 federal specification single treatment response |
| Style Designator: |
| Angle |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Mil-s-25043 spec.

Mil-std (military Standard):

Fiig: A042a0