

View Online at <https://aerobasegroup.com/nsn/5340-01-285-3912>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.690 inches

**Second Leg Length:**

2.880 inches

**Second Leg Width:**

1.880 inches

**First Leg Hole Diameter:**

Between 0.142 inches and 0.150 inches

**Second Leg Hole Diameter:**

Between 0.191 inches and 0.199 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.125 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.250 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.620 inches

**First Leg Thickness:**

0.090 inches

**Second Leg Thickness:**

0.090 inches

**First Leg Width:**

1.620 inches

**First Leg Distance Between Hole Centers Along Width:**

0.968 inches

**First Leg Distance Between Hole Centers Along Length:**

0.968 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.326 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.361 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Four holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Extended leg on side of second leg furn w/two holes 0.191 in. Min. 0.199 in. Maximum dia, 1.500 in. Lg, 2.380 in. W, 0.090 in. Thk

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8, h32 federal specification single material response

**Surface Treatment:**

Chromate

**Surface Treatment Specification:**

Mil-c-5541, cl 1a military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-5541 spec.