

View Online at <https://aerobasegroup.com/nsn/5340-01-286-5476>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.500 inches

**Second Leg Length:**

4.760 inches

**Reinforcement Method (non-core):**

Turned edge second leg

**Second Leg Width:**

3.720 inches

**Second Leg End Width:**

1.720 inches

**First Leg Hole Diameter:**

0.228 inches

**Second Leg Hole Diameter:**

0.228 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.500 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.000 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

3.500 inches

**First Leg Thickness:**

0.120 inches

**Second Leg Thickness:**

0.120 inches

**First Leg Width:**

3.720 inches

**First Leg Distance Between Hole Centers Along Width:**

1.500 inches

**First Leg Distance From Edge To Hole Center Along Width:**

1.000 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Angle

**Second Leg Hole Arrangement Style:**

Two holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Second leg has a 90.0 degrees by 1.500 in. Lg extension with a 70.0 degrees min, 75.0 degrees maximum bend, 2.000 in. Lg

**Material:**

Steel comp 302

**Material Specification:**

Qq-s-766, cond a federal specification single material response

**Surface Treatment:**

Plastic epoxy

**Surface Treatment Specification:**

Mil-p-23377 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-p-23377 spec.