

View Online at <https://aerobasegroup.com/nsn/5340-01-286-8028>

Mounting Hole Type:

Plain

First Leg Length:

1.125 inches

Second Leg Length:

1.438 inches

Second Leg Width:

0.750 inches

First Leg Slot Length:

0.312 inches

First Leg Slot Width:

Between 0.125 inches and 0.130 inches

Second Leg Hole Diameter:

Between 0.172 inches and 0.175 inches

Second Leg Distance Between Hole Centers Along Length:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.375 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.312 inches

First Leg Thickness:

0.188 inches

Second Leg Thickness:

0.188 inches

First Leg Width:

Between 2.282 inches and 2.343 inches

First Leg Distance Between Hole Centers Along Width:

1.750 inches

First Leg Distance From Edge To Hole Center Along Width:

0.281 inches

First Leg Distance From Edge To Hole Center Along Length:

0.150 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

2 slots

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Features Provided:

Nut

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

0.155 in. Min and 0.160 in. Maximum hole diameter 1st leg; two nuts 2nd leg

Material:

Aluminum alloy 5052

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl 1a military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.