## NSN 5340-01-288-2802

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-288-2802

First Leg Length:
2.363 inches
Second Leg Length:
4.500 inches
End Application:
2350-01-248-7619
Second Leg Width:
28.150 inches
Second Leg End Width:
18.710 inches
First Leg Hole Diameter:
Between 0.688 inches and 0.780 inches
Second Leg Hole Diameter:
0.625 inches
Second Leg Distance Between First And Second Hole Centers Along Width:
8.062 inches
Second Leg Distance Between Second And Third Hole Centers Along Width:
8.062 inches
Second Leg Distance From Edge To Hole Center Along Width:
4.894 inches
Second Leg Distance From Edge To Hole Center Along Length:
3.800 inches
First Leg Thickness:
0.750 inches
Second Leg Thickness:
0.890 inches
Center Section Height:
3.238 inches
Center Section Width:
28.150 inches
Center Section Thickness:
0.700 inches
First Leg Width:
28.150 inches
First Leg Distance Between Hole Centers Along Width:
24.000 inches
First Leg Distance Between First And Second Hole Centers Along Width:
8.000 inches
First Leg Distance Between Second And Third Hole Centers Along Width:
8.000 inches
First Leg Distance From Edge To Hole Center Along Width:

2.647 inches

## NSN 5340-01-288-2802

Double Angle Bracket - Page 2 of 2



First Leg Distance From Edge To Hole Center Along Length:
0.980 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Four holes
Second Leg Style:
Square and tapered
Second Leg Hole Arrangement Style:
Three holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
0.5 radians
Second Leg Angle:
0.7 radians
Material:
Aluminum alloy 5083
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0