NSN 5340-01-288-2802

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-288-2802

First Low Low with
First Leg Length:
2.363 inches
Second Leg Length:
4.500 inches
End Application:
2350-01-248-7619
Second Leg Width:
28.150 inches
Second Leg End Width:
18.710 inches
First Leg Hole Diameter:
Between 0.688 inches and 0.780 inches
Second Leg Hole Diameter:
0.625 inches
Second Leg Distance Between First And Second Hole Centers Along Width:
8.062 inches
Second Leg Distance Between Second And Third Hole Centers Along Width:
8.062 inches
Second Leg Distance From Edge To Hole Center Along Width:
4.894 inches
Second Leg Distance From Edge To Hole Center Along Length:
3.800 inches
First Leg Thickness:
0.750 inches
Second Leg Thickness:
0.890 inches
Center Section Height:
3.238 inches
Center Section Width:
28.150 inches
Center Section Thickness:
0.700 inches
First Leg Width:
28.150 inches
First Leg Distance Between Hole Centers Along Width:
24.000 inches
First Leg Distance Between First And Second Hole Centers Along Width:
8.000 inches
First Leg Distance Between Second And Third Hole Centers Along Width:
8.000 inches
First Leg Distance From Edge To Hole Center Along Width:
2.647 inches

NSN 5340-01-288-2802

Double Angle Bracket - Page 2 of 2



First Leg Distance From Edge To Hole Center Along Length: 0.980 inches First Leg Style: Square First Leg Hole Arrangement Style: Four holes Second Leg Style: Square and tapered Second Leg Hole Arrangement Style: Three holes Second Leg Relationship To First Leg: Not identical First Leg Angle: 0.5 radians Second Leg Angle: 0.7 radians Material: Aluminum alloy 5083 Style Designator: Double angle Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A042a0