

View Online at <https://aerobasegroup.com/nsn/5340-01-290-0690>

**Mounting Hole Type:**

Counterbored and threaded

**First Leg Length:**

1.340 inches

**Second Leg Length:**

1.410 inches

**Second Leg Width:**

5.940 inches

**First Leg Hole Diameter:**

0.163 inches

**Second Leg Hole Diameter:**

0.163 inches

**Second Leg Distance Between First And Second Hole Centers Along Width:**

2.750 inches

**Second Leg Distance Between Second And Third Hole Centers Along Width:**

0.280 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.570 inches

**First Leg Thickness:**

0.060 inches

**Second Leg Thickness:**

0.060 inches

**First Leg Width:**

5.940 inches

**First Leg Distance Between Hole Centers Along Width:**

2.750 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Three holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

3 holes internally threaded alongwidth 6-32nc-3b 0.018 in dia

**Material:**

Steel comp 1008

**Material Specification:**

Qq-s-698 federal specification all material responses

**Surface Treatment:**

Phosphate

**Surface Treatment Specification:**

Mil-std-171 military standard all treatment responses

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-std-171 spec.