

View Online at <https://aerobasegroup.com/nsn/5340-01-291-0775>

Mounting Hole Type:

Plain

First Leg Length:

0.443 inches

Second Leg Length:

2.483 inches

Second Leg Width:

0.320 inches

First Leg Hole Diameter:

0.125 inches

Second Leg Hole Diameter:

0.140 inches

Second Leg Distance Between Hole Centers Along Length:

1.750 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.160 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.182 inches

Second Leg Distance Between First And Second Hole Centers Along Length:

0.312 inches

Second Leg Distance Between Second And Third Hole Centers Along Length:

1.125 inches

First Leg Thickness:

Between 0.059 inches and 0.067 inches

Second Leg Thickness:

Between 0.059 inches and 0.067 inches

First Leg Width:

0.320 inches

First Leg Distance From Edge To Hole Center Along Width:

0.160 inches

First Leg Distance From Edge To Hole Center Along Length:

0.200 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Two center holes in second leg are 0.093 in. Diameter countersunk opposite side to 0.177 in. Dia

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8, h32 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl 3 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.