

View Online at <https://aerobasegroup.com/nsn/5340-01-293-6149>

Mounting Hole Type:

Plain

First Leg Length:

2.500 inches

Second Leg Length:

2.870 inches

Second Leg Width:

1.000 inches

First Leg Slot Length:

0.920 inches

First Leg Slot Width:

Between 0.406 inches and 0.453 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.500 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.505 inches

Second Leg Slot Length:

0.570 inches

Second Leg Slot Width:

Between 0.190 inches and 0.251 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

Center Section Height:

5.120 inches

Center Section Width:

1.000 inches

Center Section Thickness:

0.125 inches

First Leg Width:

1.000 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

1.260 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One slot

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Aluminum alloy 5083 or aluminum alloy 5086

Material Specification:

Qq-a-250/6 h323 federal specification 1st material response or qq-a-250/7 h32 federal specification 2nd material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541 cl 1a military specification single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.