

View Online at <https://aerobasegroup.com/nsn/5340-01-295-4076>

Mounting Hole Type:

Plain

First Leg Length:

0.813 inches

Second Leg Length:

1.683 inches

Second Leg Corner Radius:

0.250 inches

First Leg Hole Diameter:

Between 0.216 inches and 0.223 inches

Second Leg Distance Between Lower Hole Centers Along Width:

1.625 inches

Second Leg Distance Between Hole Centers Along Length:

0.880 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

0.810 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.252 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

First Leg Distance From Edge To Hole Center Along Width:

0.125 inches

First Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Style:

End radius and tapered

First Leg Hole Arrangement Style:

One hole

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Three holes located on second leg; two holes 0.216 in. Min and 0.223 in. Maximum dia; one hole 0.373 in. Maximum dia

Material:

Steel comp 301

Material Specification:

Mil-s-5059 military specification single material response

Surface Treatment:

Plastic polyurethane

Surface Treatment Specification:

Mil-c-83286 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-5059 spec.