## NSN 5340-01-295-4076

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-295-4076

Mounting Hole Type:
Plain
First Leg Length:
0.813 inches
Second Leg Length:  1.683 inches
Second Leg Corner Radius:
0.250 inches
First Leg Hole Diameter:
Between 0.216 inches and 0.223 inches
Second Leg Distance Between Lower Hole Centers Along Width:
1.625 inches
Second Leg Distance Between Hole Centers Along Length:
0.880 inches
Second Leg Distance Between First And Second Hole Centers Along Width:
0.810 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.252 inches
First Leg Thickness:
0.063 inches
Second Leg Thickness:
0.063 inches
First Leg Distance From Edge To Hole Center Along Width:
0.125 inches
First Leg Distance From Edge To Hole Center Along Length:
0.250 inches
First Leg Style:
End radius and tapered
First Leg Hole Arrangement Style:
One hole
Second Leg Hole Arrangement Style:
Three holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Special Features:
Three holes located on second leg; two holes 0.216 in. Min and 0.223 in. Maximum dia; one hole 0.373 in. Maximum dia
Material:
Steel comp 301
Material Specification:
Mil-s-5059 military specification single material response

## NSN 5340-01-295-4076

Angle Bracket - Page 2 of 2

Mil-std (military Standard):

Mil-s-5059 spec.



Surface Treatment:
Plastic polyurethane
Surface Treatment Specification:
Mil-c-83286 military specification single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0