

View Online at <https://aerobasegroup.com/nsn/5340-01-296-2086>

Mounting Hole Type:

Plain

First Leg Length:

1.000 inches

Second Leg Length:

2.500 inches

Second Leg Width:

2.750 inches

First Leg Hole Diameter:

Between 0.217 inches and 0.222 inches

Second Leg Hole Diameter:

Between 0.180 inches and 0.185 inches

Second Leg Distance Between Hole Centers Along Width:

0.312 inches

Second Leg Distance Between Hole Centers Along Length:

1.500 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.378 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg Thickness:

0.180 inches

Second Leg Thickness:

0.180 inches

First Leg Width:

2.750 inches

First Leg Distance Between Hole Centers Along Width:

1.750 inches

First Leg Distance From Edge To Hole Center Along Width:

0.500 inches

First Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

0.646 in. Min and 0.666 in. Maximum hole dia; 0.750 in. From edge to hole center along w and 1.000 in. From edge to hole center along lg of seconded leg; 0.139 in. Min and 0.144 in. Maximum hole diameter two places; 0.532 in. From edge along the lg to hole center and 0.750 from edge to hole center along the w, second hole is 0.750 in. To hole center along the w and 1.469 in. To hole center along the lg; color yellow

Material:

Steel

Material Specification:

Astm a36 assn standard single material response

Surface Treatment:

Chromate zinc

Surface Treatment Specification:

Tt-p-1757 federal specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0