

View Online at <https://aerobasegroup.com/nsn/5340-01-297-2799>

Mounting Hole Type:

Plain

First Leg Length:

Between 1.320 inches and 1.440 inches

Second Leg Length:

Between 4.250 inches and 4.370 inches

Second Leg Width:

2.130 inches

First Leg Hole Diameter:

Between 0.309 inches and 0.333 inches

Second Leg Hole Diameter:

Between 0.309 inches and 0.333 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.750 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

First Leg Width:

2.130 inches

First Leg Distance Between Hole Centers Along Width:

1.375 inches

First Leg Distance From Edge To Hole Center Along Width:

0.378 inches

First Leg Distance From Edge To Hole Center Along Length:

0.560 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Square

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

110.0 degrees

Special Features:

First leg furn w/large c hole 0.622 in. Min, 0.646 in. Maximum dia; second leg furn w/slot 0.750 in. Lg, 0.440 in. W; color white

Material:

Aluminum alloy 6061 or aluminum alloy 5052

Material Specification:

Qq-a-250/11, t6 federal specification 1st material response or qq-a-200/8, t6 federal specification 1st material response or qq-a-250/8, h32 federal specification 2nd material response

Surface Treatment:

Paint

Surface Treatment Specification:

Mil-c-22750 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-c-22750 spec.