

View Online at <https://aerobasegroup.com/nsn/5340-01-297-2799>

**Mounting Hole Type:**

Plain

**First Leg Length:**

Between 1.320 inches and 1.440 inches

**Second Leg Length:**

Between 4.250 inches and 4.370 inches

**Second Leg Width:**

2.130 inches

**First Leg Hole Diameter:**

Between 0.309 inches and 0.333 inches

**Second Leg Hole Diameter:**

Between 0.309 inches and 0.333 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.750 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Thickness:**

0.125 inches

**Second Leg Thickness:**

0.125 inches

**First Leg Width:**

2.130 inches

**First Leg Distance Between Hole Centers Along Width:**

1.375 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.378 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.560 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Square

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

110.0 degrees

**Special Features:**

First leg furn w/large c hole 0.622 in. Min, 0.646 in. Maximum dia; second leg furn w/slot 0.750 in. Lg, 0.440 in. W; color white

**Material:**

Aluminum alloy 6061 or aluminum alloy 5052

**Material Specification:**

Qq-a-250/11, t6 federal specification 1st material response or qq-a-200/8, t6 federal specification 1st material response or qq-a-250/8, h32 federal specification 2nd material response

**Surface Treatment:**

Paint

**Surface Treatment Specification:**

Mil-c-22750 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-c-22750 spec.