NSN 5340-01-298-1320

Double Angle Bracket - Page 1 of 2

Mounting Hole Type:



View Online at https://aerobasegroup.com/nsn/5340-01-298-1320

Plain
First Leg Length:
2.000 inches
Second Leg Length:
2.005 inches
Second Leg Width:
39.750 inches
First Leg Hole Diameter:
0.413 mils and 0.416 centimeters
Second Leg Hole Diameter:
0.358 inches
Second Leg Distance Between Hole Centers Along Width:
38.000 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.880 inches
Second Leg Distance From Edge To Hole Center Along Length
0.943 inches
First Leg Thickness:
0.125 inches
Second Leg Thickness:
0.125 inches
Center Section Height:
2.750 inches
Center Section Width:
39.750 inches
Center Section Thickness:
0.125 inches
First Leg Width:
39.750 inches
First Leg End Width:
38.000 inches
First Leg Distance Between Hole Centers Along Width:
22.000 inches
First Leg Distance From Edge To Hole Center Along Width:
2.500 inches
First Leg Distance From Edge To Hole Center Along Length:
0.938 inches
First Leg Style:
Chamfered ends
First Leg Hole Arrangement Style:
Two holes

NSN 5340-01-298-1320

Double Angle Bracket - Page 2 of 2



Second Leg Style:
Square
Second Leg Hole Arrangement Style:
Two holes
Features Provided:
Nut
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees
Special Features:
Color white, no. 17925, per fed, std 595
Material:
Aluminum alloy 5052
Material Specification:
Qq-a-250/8, temper h32 federal specification single material response
Surface Treatment:
Plastic polyurethane
Surface Treatment Specification:
Mil-c-83286, type 1 military specification single treatment response
Style Designator:
Double angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
Mil-c-83286 spec.