

View Online at <https://aerobasegroup.com/nsn/5340-01-298-3996>

Cross Sectional Shape:

Flat

Width:

10.970 inches

Edge Shape:

Rectangle, multi holes

Length:

20.900 inches

Hole Quantity Along Length:

16

Hole Quantity Along Width:

12

Distance Between Holes Along Length:

2.337 inches and 2.340 inches

Distance Between Holes Along Width:

1.500 inches and 1.917 inches

Distance From First Hole Centerline To End Along Length:

2.263 inches

Distance From First Hole Centerline To End Along Width:

0.828 inches

Corner Bevel Length:

0.120 inches

Body Thickness:

Between 0.050 inches and 0.600 inches

Securing Device Type:

Threaded fastener

Mounting Opening Shape Style:

Unthreaded hole

End Application:

F-15 a/c

Features Provided:

Special marking

Special Features:

Item has 6 holes that are cbored 0.422 in., holes are located near the cntr of the cover; item requires 34 screws p/n 965858-1c, 2 instruction warning labels p/n 3282256-2 & 3282256-7, 2 absorbers p/n 5002609-1 & 5002609-2; each end of the top surface is anodized per mil-a-8625 type 3, 0.0020 in. Thk porm 0.005 in., each end is free ofpaint and all threaded fasteners shallbe free of epoxy primer and topcoat

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11 t651 federal specification single material response

Surface Treatment:

Chromate and primer and paint epoxy

Surface Treatment Specification:

Mil-c-5541, cl 1a military specification 1st treatment response and mil-p-23377 type 1 military specification 2nd treatment response and

mil-c-22750 type 1 military specification 3rd treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A531c0

Mil-std (military Standard):

Mil-c-5541 spec.