

View Online at <https://aerobasegroup.com/nsn/5340-01-298-3996>

**Cross Sectional Shape:**

Flat

**Width:**

10.970 inches

**Edge Shape:**

Rectangle, multi holes

**Length:**

20.900 inches

**Hole Quantity Along Length:**

16

**Hole Quantity Along Width:**

12

**Distance Between Holes Along Length:**

2.337 inches and 2.340 inches

**Distance Between Holes Along Width:**

1.500 inches and 1.917 inches

**Distance From First Hole Centerline To End Along Length:**

2.263 inches

**Distance From First Hole Centerline To End Along Width:**

0.828 inches

**Corner Bevel Length:**

0.120 inches

**Body Thickness:**

Between 0.050 inches and 0.600 inches

**Securing Device Type:**

Threaded fastener

**Mounting Opening Shape Style:**

Unthreaded hole

**End Application:**

F-15 a/c

**Features Provided:**

Special marking

**Special Features:**

Item has 6 holes that are cbored 0.422 in., holes are located near the cntr of the cover; item requires 34 screws p/n 965858-1c, 2 instruction warning labels p/n 3282256-2 & 3282256-7, 2 absorbers p/n 5002609-1 & 5002609-2; each end of the top surface is anodized per mil-a-8625 type 3, 0.0020 in. Thk porm 0.005 in., each end is free of paint and all threaded fasteners shall be free of epoxy primer and topcoat

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-250/11 t651 federal specification single material response

**Surface Treatment:**

Chromate and primer and paint epoxy

**Surface Treatment Specification:**

Mil-c-5541, cl 1a military specification 1st treatment response and mil-p-23377 type 1 military specification 2nd treatment response and

mil-c-22750 type 1 military specification 3rd treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A531c0

**Mil-std (military Standard):**

Mil-c-5541 spec.