

View Online at <https://aerobasegroup.com/nsn/5340-01-298-7785>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.500 inches

**Second Leg Length:**

1.500 inches

**Second Leg Width:**

3.000 inches

**Second Leg End Width:**

2.800 inches

**First Leg Slot Length:**

0.750 inches

**First Leg Slot Width:**

0.280 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

2.120 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.750 inches

**Second Leg Slot Length:**

0.750 inches

**Second Leg Slot Width:**

0.280 inches

**First Leg Thickness:**

0.062 inches

**Second Leg Thickness:**

0.062 inches

**Center Section Height:**

5.130 inches

**Center Section Width:**

1.690 inches

**Center Section Thickness:**

0.062 inches

**First Leg Width:**

1.690 inches

**First Leg End Width:**

1.490 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.630 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.750 inches

**First Leg Style:**

Chamfered ends

**First Leg Hole Arrangement Style:**

One slot

**Second Leg Style:**

Chamfered ends

**Second Leg Hole Arrangement Style:**

One slot

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**First Leg Chamfer Angle:**

45.0 degrees

**Second Leg Chamfer Angle:**

45.0 degrees

**Special Features:**

Opposite p/n 5267850-001

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8, h32 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 3, cl 1 military specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-a-8625 spec.