

View Online at <https://aerobasegroup.com/nsn/5340-01-298-9693>

Mounting Hole Type:

Plain and countersunk

First Leg Length:

2.130 inches

Second Leg Length:

2.130 inches

Second Leg Width:

3.200 inches

First Leg Hole Diameter:

Between 0.390 inches and 0.397 inches

Second Leg Hole Diameter:

Between 0.390 inches and 0.397 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.280 inches

First Leg Thickness:

0.375 inches

Second Leg Thickness:

0.250 inches

Center Section Height:

3.770 inches

Center Section Width:

2.000 inches

Center Section Thickness:

0.250 inches

First Leg Width:

3.200 inches

First Leg End Width:

2.400 inches

First Leg Distance From Edge To Hole Center Along Width:

0.400 inches

First Leg Distance From Edge To Hole Center Along Length:

0.400 inches

First Leg Style:

Chamfered ends

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

First Leg Chamfer Angle:

45.0 degrees

Special Features:

Four holes 0.280 in. Min, 0.286 in. Maximum dia; 1.250 in. C to c distance btwn holes along w of c section, 2.350 in. C to c distance btwn holes along lg of c section

Material:

Steel

Material Specification:

Astm a514, grade f, uns k11576 assn standard 1st material response or astm a514, grade b, uns k11630 assn standard 2nd material response or astm a514, grade h, uns k11646 assn standard 3rd material response

Surface Treatment:

Paint

Surface Treatment Specification:

Ws19201, gp a, cagec 53711 mfr ref single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0