NSN 5340-01-298-9693

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-298-9693 **Mounting Hole Type:** Plain and countersunk First Leg Length: 2.130 inches Second Leg Length: 2.130 inches Second Leg Width: 3.200 inches First Leg Hole Diameter: Between 0.390 inches and 0.397 inches Second Leg Hole Diameter: Between 0.390 inches and 0.397 inches Second Leg Distance From Edge To Hole Center Along Length: 0.280 inches First Leg Thickness: 0.375 inches **Second Leg Thickness:** 0.250 inches **Center Section Height:** 3.770 inches **Center Section Width:** 2.000 inches **Center Section Thickness:** 0.250 inches First Leg Width: 3.200 inches First Leg End Width: 2.400 inches First Leg Distance From Edge To Hole Center Along Width: 0.400 inches First Leg Distance From Edge To Hole Center Along Length: 0.400 inches First Leg Style: Chamfered ends Second Leg Relationship To First Leg: Not identical First Leg Angle: 90.0 degrees Second Leg Angle:

First Leg Chamfer Angle: 45.0 degrees

90.0 degrees

NSN 5340-01-298-9693

Double Angle Bracket - Page 2 of 2



Special Features:

Four holes 0.280 in. Min, 0.286 in. Maximum dia; 1.250 in. C to c distance btwn holes along w of c section, 2.350 in. C to c distance btwn holes along lg of c section

Material:

Steel

Material Specification:

Astm a514, grade f, uns k11576 assn standard 1st material response or astm a514, grade b, uns k11630 assn standard 2nd material response or astm a514, grade h, uns k11646 assn standard 3rd material response

Surface Treatment:

Paint

Surface Treatment Specification:

Ws19201, gp a, cagec 53711 mfr ref single treatment response

Style Designator:

Adjacent angles

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A042a0