NSN 5340-01-300-6409

Double Angle Bracket - Page 1 of 2

Qq-s-741 federal specification single material response



View Online at https://aerobasegroup.com/nsn/5340-01-300-6409

Mounting Hole Type:
Threaded
First Leg Length:
2.250 inches
Second Leg Length:
2.250 inches
First Leg Hole Diameter:
0.375 inches
First Leg Thickness:
0.375 inches
Second Leg Thickness:
0.375 inches
Center Section Height:
3.620 inches
Center Section Width:
1.500 inches
Center Section Thickness:
0.375 inches
First Leg Width:
1.500 inches
First Leg Distance Between Hole Centers Along Length:
1.250 inches
First Leg Distance From Edge To Hole Center Along Width:
0.500 inches
First Leg Distance From Edge To Hole Center Along Length:
1.190 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Two holes
Second Leg Relationship To First Leg:
Identical
First Leg Angle:
0.5 radians
Second Leg Angle:
0.5 radians
Special Features:
Treat per type 3, spec tt-c-490. Apply solid film lubricant conforming to specification mil-l-46010, except those surf aces marked "x
Material:
Steel
Material Specification:

NSN 5340-01-300-6409

Double Angle Bracket - Page 2 of 2

A042a0

Mil-std (military Standard):

Mil-c-26074 spec.



Surface Treatment:
Nickel
Surface Treatment Specification:
Mil-c-26074, cl 2, grade a military specification single treatment response
Style Designator:
Adjacent angles
Shelf Life:
N/a
Unit Of Measure:
. -
Demilitarization:
Yes - demil/mli
Fiig: