

View Online at <https://aerobasegroup.com/nsn/5340-01-305-4384>

Mounting Hole Type:

Threaded

First Leg Length:

0.240 inches

Second Leg Length:

0.330 inches

Second Leg Width:

0.280 inches

First Leg Slot Length:

0.370 inches

First Leg Slot Width:

Between 0.064 inches and 0.069 inches

Second Leg Hole Diameter:

0.060 inches

Second Leg Distance Between Hole Centers Along Length:

0.157 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.210 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.078 inches

First Leg Thickness:

0.105 inches

Second Leg Thickness:

0.075 inches

First Leg Width:

0.585 inches

First Leg Distance From Edge To Hole Center Along Width:

0.225 inches

First Leg Distance From Edge To Hole Center Along Length:

0.122 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One slot

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Two holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

First leg relieved 0.585 in. Lg by 0.190 in. W by 0.040 in. Dp; first leg inside radius 0.120 in. Second leg one corner chamfered 0.050 in. By 45.0 deg

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11, t6 federal specification single material response

Surface Treatment:

Chromate

Surface Treatment Specification:

Mil-c-5541, cl 3 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.