## NSN 5340-01-306-9064

Double Angle Bracket - Page 1 of 2

Material:

Aluminum alloy 5052



View Online at https://aerobasegroup.com/nsn/5340-01-306-9064

Mounting Hole Type:
Countersunk and plain
First Leg Length:
1.750 inches
Second Leg Length:
1.750 inches
First Leg Hole Diameter:
0.234 inches
First Leg Thickness:
0.063 inches
Second Leg Thickness:
0.063 inches
Center Section Height:
2.520 inches
Center Section Width:
1.750 inches
Center Section Thickness:
0.063 inches
First Leg Width:
1.000 inches
First Leg Distance Between Hole Centers Along Length:
0.750 inches
First Leg Distance From Edge To Hole Center Along Width:
0.500 inches
First Leg Distance From Edge To Hole Center Along Length:
0.500 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Two holes
Features Provided:
Nut
Second Leg Relationship To First Leg:
Identical
First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees
Special Features:
F4 additional countersunk holes each leg 0.098 in. Min and 0.101 in. Maximum dia; 1 hole in center section 1.031 in. Diameter and 4 holes
0.125 in. Diameter cuntersunk to 0.225 in. Min and 0.240 in. Maximum by 100 deg

## NSN 5340-01-306-9064

Double Angle Bracket - Page 2 of 2

**Fiig:** A042a0



Material Specification:
Qq-a-250/8, h34 federal specification single material response
Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416, class 2, type 2 federal specification single treatment response
Style Designator:
Adjacent angles
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No