NSN 5340-01-308-2960

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-308-2960

First Leg Length:

Between 0.940 inches and 1.060 inches

Second Leg Length:

Between 3.440 inches and 3.560 inches

Second Leg Width:

Between 1.690 inches and 1.810 inches

First Leg Hole Diameter:

Between 0.470 inches and 0.530 inches

Second Leg Hole Diameter:

Between 0.595 inches and 0.655 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.720 inches and 0.780 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 4.345 inches and 4.405 inches

First Leg Thickness:

0.190 inches

Second Leg Thickness:

0.190 inches

First Leg Width:

Between 1.690 inches and 1.810 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.470 inches and 0.530 inches

First Leg Distance From Edge To Hole Center Along Length:

Between 0.720 inches and 0.780 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

45.0 degrees

Special Features:

Left hand angle

Material:

Aluminum alloy 5086

Material Specification:

Qq-a-250/7 federal specification single material response

Style Designator:

Angle

Specification Data:

19207-12253564 government standard

NSN 5340-01-308-2960

Angle Bracket - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J			_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0