

View Online at <https://aerobasegroup.com/nsn/5340-01-308-3852>

**Mounting Hole Type:**

Plain and threaded

**First Leg Length:**

1.125 inches

**Second Leg Width:**

0.750 inches

**Second Leg End Width:**

0.450 inches

**First Leg Hole Diameter:**

0.190 inches

**Second Leg Hole Diameter:**

0.390 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.375 inches

**First Leg Thickness:**

0.125 inches

**Second Leg Thickness:**

0.125 inches

**Center Section Height:**

0.500 inches

**Center Section Width:**

0.750 inches

**Center Section Thickness:**

0.125 inches

**First Leg Width:**

0.750 inches

**First Leg End Width:**

0.450 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.375 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.375 inches

**First Leg Style:**

Chamfered ends

**First Leg Hole Arrangement Style:**

One hole

**Second Leg Style:**

Chamfered ends

**Second Leg Hole Arrangement Style:**

One hole

**Features Provided:**

Nut

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

135.0 degrees

**Second Leg Angle:**

135.0 degrees

**First Leg Chamfer Angle:**

45.0 degrees

**Second Leg Chamfer Angle:**

45.0 degrees

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-200/8, t4 federal specification single material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-a-8625, type 3, cl 1 military specification single treatment response

**Style Designator:**

Double angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0

**Mil-std (military Standard):**

Mil-a-8625 spec.