

View Online at <https://aerobasegroup.com/nsn/5340-01-310-1115>

Mounting Hole Type:

Plain

First Leg Length:

1.130 inches

Second Leg Length:

5.125 inches

Second Leg Width:

11.906 inches

Second Leg Hole Diameter:

Between 0.275 inches and 0.287 inches

Second Leg Distance Between Lower Hole Centers Along Width:

9.906 inches

Second Leg Distance Between Hole Centers Along Length:

3.630 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

5.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.380 inches

First Leg Thickness:

0.125 inches

Second Leg Thickness:

0.125 inches

Center Section Height:

0.880 inches

Center Section Width:

15.500 inches

Center Section Thickness:

0.125 inches

First Leg Width:

15.500 inches

First Leg Corner Radius:

0.120 inches

First Leg Style:

Corner radius

First Leg Hole Arrangement Style:

No hole

Second Leg Style:

Cut out

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Second Leg Cutout Length:

1.750 inches

Second Leg Cutout Width:

7.906 inches

Special Features:

0.500 in. Lg difference in cutout

Material:

Aluminum alloy 5052

Material Specification:

Qq-a-250/8, h32 federal specification single material response

Surface Treatment:

Chromate zinc

Surface Treatment Specification:

Tt-p-1757 federal specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0