

View Online at <https://aerobasegroup.com/nsn/5340-01-311-0943>

Mounting Hole Type:

Plain

First Leg Length:

0.445 inches

Second Leg Length:

0.743 inches

Second Leg Width:

0.416 inches

First Leg Hole Diameter:

Between 0.155 inches and 0.161 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.208 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.338 inches

Second Leg Slot Length:

0.375 inches

Second Leg Slot Width:

0.156 inches

First Leg Thickness:

0.062 inches

Second Leg Thickness:

0.062 inches

Center Section Height:

0.280 inches

Center Section Width:

0.416 inches

Center Section Thickness:

0.062 inches

First Leg Width:

0.416 inches

First Leg Distance From Edge To Hole Center Along Width:

0.208 inches

First Leg Distance From Edge To Hole Center Along Length:

0.188 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One slot

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Special Features:

H32

Material:

Aluminum alloy 5052

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2, cl 2 military specification single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-a-8625 spec.