NSN 5340-01-314-4950

Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-314-4950

Mounting Hole Type:
Plain
First Leg Length:
1.467 inches
Second Leg Length:
2.060 inches
Second Leg Width:
5.530 inches
First Leg Hole Diameter:
0.116 inches
Second Leg Hole Diameter:
0.128 inches
Second Leg Distance Between First And Second Hole Centers Along Width:
1.800 inches
Second Leg Distance Between Second And Third Hole Centers Along Width:
1.800 inches
Second Leg Distance From Edge To Hole Center Along Width:
0.750 inches
Second Leg Distance From Edge To Hole Center Along Length:
1.300 inches
First Leg Thickness:
0.090 inches
Second Leg Thickness:
0.090 inches
First Leg Width:
5.530 inches
First Leg Distance Between Hole Centers Along Width:
3.600 inches
First Leg Distance From Edge To Hole Center Along Width:
0.312 inches
First Leg Distance From Edge To Hole Center Along Length:
0.312 inches
First Leg Hole Arrangement Style:
Two holes
Second Leg Hole Arrangement Style:
Three holes
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Special Features:
_ , ,,, , , , , , , , , , , , , , , , ,

Color iridescent yellow; 2 additional holes 1st leg 0.128 in. Dia; 2 additional horizontal holes 2nd leg 0.250 in. Dia; 2 vertical holes 2nd leg 0.156 in. Dia

NSN 5340-01-314-4950

Angle Bracket - Page 2 of 2

Mil-c-5541 spec.



Material:
Aluminum alloy 5052
Material Specification:
Qq-a-250/8 h34 federal specification single material response
Surface Treatment:
Chromate
Surface Treatment Specification:
Mil-c-5541, class 1a military specification single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):