

View Online at <https://aerobasegroup.com/nsn/5340-01-315-0253>

**Mounting Hole Type:**

Plain and threaded

**First Leg Length:**

1.500 inches

**Second Leg Length:**

1.660 inches

**End Application:**

E c u t/s; lantirn mob shelter set

**Second Leg Width:**

2.380 inches

**Second Leg End Width:**

2.100 inches

**First Leg Hole Diameter:**

Between 0.220 inches and 0.226 inches

**Second Leg Hole Diameter:**

0.223 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

1.190 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.040 inches

**First Leg Thickness:**

0.090 inches

**Second Leg Thickness:**

0.090 inches

**First Leg Width:**

2.380 inches

**First Leg End Width:**

2.100 inches

**First Leg Distance Between Hole Centers Along Width:**

1.750 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.310 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.280 inches

**First Leg Style:**

Chamfered ends

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Chamfered ends

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

0.19 radians

**First Leg Chamfer Angle:**

45.0 degrees

**Second Leg Chamfer Angle:**

45.0 degrees

**Special Features:**

2ng leg has a self locking nut per mil-n-45938/7

**Material:**

Aluminum alloy 5052 or aluminum alloy 6061

**Material Specification:**

Qq-a-250/8, h32 federal specification single material response or qq-a-250/11, t4 federal specification single material response

**Style Designator:**

Angle

**Fsc Application Data:**

Power strip

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0