## NSN 5340-01-315-8916



Angle Bracket - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5340-01-315-8916 **Mounting Hole Type:** Plain First Leg Length: 2.250 inches Second Leg Length: 3.030 inches Second Leg Width: 4.140 inches First Leg Slot Length: 1.500 inches First Leg Slot Width: 0.422 inches Second Leg Distance From Edge To Hole Center Along Width: 0.720 inches **Second Leg Distance From Edge To Hole Center Along Length:** 1.780 inches **Second Leg Slot Length:** 1.380 inches Second Leg Slot Width: 0.422 inches First Leg Thickness: 0.120 inches Second Leg Thickness: 0.120 inches First Leg Width: 2.000 inches First Leg End Width: 0.760 inches First Leg Style: Chamfered ends First Leg Hole Arrangement Style: One slot Second Leg Style: Square Second Leg Hole Arrangement Style: One slot Second Leg Relationship To First Leg: Not identical

First Leg Angle: 90.0 degrees

First Leg Chamfer Angle:

45.0 degrees

## **NSN 5340-01-315-8916** Angle Bracket - Page 2 of 2



Err Default:
Err default
Special Features:
Second leg is offset 0.500 in.
Material:
Aluminum alloy 5086 or aluminum alloy 5083
Material Specification:
Qq-a-250/7 h32 federal specification 1st material response or qq-a-200/5 h111 federal specification 1st material response or qq-a-200/4
h111 federal specification 2nd material response
Surface Treatment:
Chromate
Surface Treatment Specification:
Mil-c-5541 cl 1a military specification single treatment response
Style Designator:
Angle
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
Mil-c-5541 spec.