

View Online at <https://aerobasegroup.com/nsn/5340-01-317-3408>

Mounting Hole Type:

Plain

First Leg Length:

2.500 inches

Second Leg Length:

3.000 inches

End Application:

2350-01-305-0028; m109a3e2

Second Leg Width:

6.000 inches

Second Leg End Width:

1.000 inches

First Leg Hole Diameter:

0.590 inches

Second Leg Hole Diameter:

0.343 inches

Second Leg Distance Between Upper Hole Centers Along Width:

2.000 inches

Second Leg Distance Between Hole Centers Along Length:

1.500 inches

Second Leg Distance Between First And Second Hole Centers Along Width:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

2.000 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.312 inches

Second Leg Thickness:

0.312 inches

First Leg Width:

6.000 inches

First Leg End Width:

5.240 inches

First Leg Distance Between Hole Centers Along Width:

4.500 inches

First Leg Distance From Edge To Hole Center Along Width:

0.750 inches

First Leg Distance From Edge To Hole Center Along Length:

1.000 inches

First Leg Style:

Chamfered ends

First Leg Hole Arrangement Style:

Two holes

Second Leg Style:

Chamfered ends

Second Leg Hole Arrangement Style:

Three holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

First Leg Chamfer Angle:

45.0 degrees

Second Leg Chamfer Angle:

45.0 degrees

Material:

Steel

Material Specification:

A36 assn standard all material responses

Surface Treatment:

Cadmium

Surface Treatment Specification:

Qq-p-416, type ii, class 2 federal specification all treatment responses

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0