

View Online at https://aerobasegroup.com/nsn/5340-01-317-4161

#### **Casehardening Indicator:**

Not casehardened

**Bolt Circle Diameter:** 

1.000 inches

# Flange Diameter:

1.500 inches

#### Flange Thickness:

0.200 inches

Overall Height:

1.812 inches

### Mounting Hole Diameter:

Between 0.279 inches and 0.289 inches

### **Body Outside Diameter:**

Between 0.872 inches and 0.874 inches

### **Body Inside Diameter:**

0.375 inches

### End Hole Diameter:

Between 0.593 inches and 0.603 inches

### Material:

Steel, aisi 1015 or steel, aisi 1016 or steel, aisi 1017 or steel, aisi 1018 or steel, aisi 1019 or steel, aisi 1020 or steel, aisi 1021 or steel, aisi 1022 or steel, aisi 1023 or steel, aisi 1024 or steel, aisi 1025

# Material:

Steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1023 or steel comp 1524 or steel comp 1025

# **Material Specification:**

Aisi 1015 assn standard 1st material response and aisi 1016 assn standard 2nd material response and aisi 1017 assn standard 3rd material response and aisi 1018 assn standard 4th material response and aisi 1019 assn standard 5th material response and aisi 1020 assn standard 6th material response and aisi 1021 assn standard 7th material response and aisi 1022 assn standard 8th material response and aisi 1023 assn standard 9th material response and aisi 1024 assn standard 10th material response and aisi 1025 assn standard 11th material response assn standard 9th material response and aisi 1024 assn standard 10th material response and aisi 1025 assn standard 11th material response

#### Surface Treatment:

Phosphate

# Surface Treatment Specification:

Dod-p-16232, ty m, cl 1 def stan/spec single treatment response

#### Style Designator:

Irregular

Surface Treatment:

Phospate mananese, dod-p-16232, ty m, cl 1

## Shelf Life:

N/a

- Unit Of Measure:
- --
- Demilitarization:

No