

View Online at <https://aerobasegroup.com/nsn/5340-01-317-4162>

Counterbore Diameter:

2.3300 inches

Overall Height:

1.3800 inches

First Step Diameter:

2.6200 inches

First Step Length:

0.7750 inches

Second Step Diameter:

Between 3.7410 inches and 3.7420 inches

Bore Diameter:

Between 1.3740 inches and 1.3760 inches

Design Type:

Solid

Countersink Diameter:

2.4000 inches

End Diameter:

2.4000 inches

Distance From End To First Step:

0.3800 inches

Counterbore Length:

0.4550 inches

Special Features:

3 holes in flange 0.209 in. Min, 0.218 in. Maximum dia, 2 open slots; 1 slot 0.250 in. W, 1 slot 0.500 in. W

Material:

Aluminum alloy, qq-a-225/8, alloy 6061, t6 or aluminum alloy, qq-a-200/8, alloy 6061, t6510

Material:

Aluminum alloy 6061 or aluminum alloy 6061

Material Specification:

Qq-a-225/8, alloy 6061, t6 federal specification 1st material response and qq-a-200/8, alloy 6061, t6510 federal specification 2nd material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2, class 1 military specification single treatment response

Surface Treatment:

Anodized, mil-a-8625, type 2, class 1

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T319-e

Mil-std (military Standard):

Mil-a-8625 spec.