

View Online at <https://aerobasegroup.com/nsn/5340-01-318-2910>

Mounting Hole Type:

Plain

First Leg Length:

Between 0.580 inches and 0.620 inches

Second Leg Length:

Between 0.720 inches and 0.760 inches

End Application:

2350-01-305-0028; m109a3e2

Second Leg Width:

Between 0.480 inches and 0.520 inches

First Leg Hole Diameter:

Between 0.213 inches and 0.223 inches

Second Leg Hole Diameter:

Between 0.213 inches and 0.223 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.250 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.250 inches

First Leg Thickness:

0.040 inches

Second Leg Thickness:

0.040 inches

Center Section Height:

Between 1.280 inches and 1.320 inches

Center Section Width:

Between 0.480 inches and 0.520 inches

Center Section Thickness:

0.040 inches

First Leg Width:

Between 0.480 inches and 0.520 inches

First Leg Distance From Edge To Hole Center Along Width:

0.250 inches

First Leg Distance From Edge To Hole Center Along Length:

0.238 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One hole

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Material:

Steel comp 302

Material Specification:

Mil-s-5059 military specification all material responses

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification all treatment responses

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-s-5059 spec.