

View Online at <https://aerobasegroup.com/nsn/5340-01-319-1132>

Mounting Hole Type:

Plain

First Leg Length:

5.750 inches

Second Leg Length:

5.750 inches

First Leg Thickness:

0.600 inches

Second Leg Thickness:

0.250 inches

First Leg Style:

Corner radius

Second Leg Style:

Chamfered ends

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Chamfer Angle:

45.0 degrees

Special Features:

1st leg has 4 holes, 2 holes have diameter 0.276 in. W/0.750 in. Distance from edge to hole cntr along width and 4.750 in. C to c distance along length, 2 have diameter 0.339 in., dist from edge to hole cntr along width 1.250 in. And 1.300 in. C to c distance long length; 2nd leg has 4 holes, 2 holes have diameter of 0.750 in. W/c to c distance along length of 2.375 in. And 2.000 in. Distance from edge to hole cntr along width, 2 holes have 0.339 in. Diameter and 3.750 in. C to c distance along length, 2.000 in. And 2.000 in. Distance from edge to hole cntr along width

Surface Treatment:

Chromate or chromate zinc or enamel

Surface Treatment Specification:

Mil-c-5541 military specification 1st treatment response or mil-p-8585 military specification 2nd treatment response or tt-e-489 federal specification 3rd treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-5541 spec.