

View Online at <https://aerobasegroup.com/nsn/5340-01-323-2489>

**Thread Class:**

3a rod connection

**Thread Direction:**

Right-hand rod connection

**Thread Length:**

4.250 inches rod connection

**Shoulder Diameter:**

1.000 inches

**Body Width:**

Between 0.995 inches and 1.005 inches

**Metallic Hardness Rating:**

34.0 rockwell c and 38.0 rockwell c

**Shank Outside Diameter:**

Between 0.555 inches and 0.565 inches

**Tongue Width:**

Between 2.178 inches and 2.198 inches

**Tongue Thickness:**

Between 1.060 inches and 1.070 inches

**Rod Connection Bore Diameter:**

0.388 inches

**Rod Connection Bore Depth:**

11.800 inches

**Shanklength:**

8.540 inches

**Distance From End To Hole Center:**

13.040 inches

**Thread Size:**

1.000 inches rod connection

**Material:**

Steel comp xm-12

**Material Specification:**

Ams 5659 assn standard single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Bac5751, method 2, the boeing co mfr ref single treatment response

**Style Designator:**

Connector

**Thread Series Designator:**

Unjf rod connection

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A264a0