

View Online at <https://aerobasegroup.com/nsn/5340-01-323-9023>

**Mounting Hole Type:**

Plain

**First Leg Length:**

1.878 inches

**Second Leg Length:**

2.600 inches

**Reinforcement Method (non-core):**

Turned edge second leg and gusset second leg

**Second Leg Width:**

3.300 inches

**First Leg Hole Diameter:**

Between 0.279 inches and 0.288 inches

**Second Leg Hole Diameter:**

1.440 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

2.450 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

1.340 inches

**First Leg Thickness:**

Between 0.087 inches and 0.103 inches

**Second Leg Thickness:**

Between 0.087 inches and 0.103 inches

**Center Section Height:**

0.595 inches

**Center Section Width:**

3.060 inches

**Center Section Thickness:**

Between 0.087 inches and 0.103 inches

**First Leg Width:**

3.260 inches

**First Leg Distance Between Hole Centers Along Width:**

1.672 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.310 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.310 inches

**First Leg Style:**

Cut out

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Hole Arrangement Style:**

One hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Special Features:**

0.070 in. Hole diameter second leg along w one place; 0.180 in. Min and 0.186 in. Maximum hole diameter four places in 1.767 in. Bolt circle diameter all in second leg

**Material:**

Steel comp 321

**Material Specification:**

Ams 5510 assn standard single material response

**Style Designator:**

Adjacent angles

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0