

View Online at <https://aerobasegroup.com/nsn/5340-01-324-5036>

**Mounting Hole Type:**

Plain

**First Leg Length:**

0.500 inches

**Second Leg Length:**

Between 0.560 inches and 0.620 inches

**Second Leg Width:**

Between 1.720 inches and 1.780 inches

**Second Leg Hole Diameter:**

Between 0.185 inches and 0.188 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.500 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.250 inches

**First Leg Thickness:**

0.0597 inches

**Second Leg Thickness:**

0.0597 inches

**First Leg Width:**

Between 0.720 inches and 0.780 inches

**First Leg Corner Radius:**

0.120 inches

**First Leg Style:**

Corner radius

**First Leg Hole Arrangement Style:**

No hole

**Second Leg Hole Arrangement Style:**

One hole

**Criticality Code Justification:**

Zzzy

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Chamfer Angle:**

Between 28.0 degrees and 32.0 degrees

**Special Features:**

Item must comply with requirements of defense supply center philadelphia production standard no. Po0012npr; opposite of kh394a

**Material:**

Steel comp 304

**Surface Treatment:**

Passivate

**Special Test Features (non-core):**

Special quality control testing

**Style Designator:**

Angle

**Departure From Cited Document:**

As modified by material

**Reference Number Differentiating Characteristics:**

Reference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing and testing specifications available at the dla icp

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A042a0