# NSN 5340-01-324-5036

Angle Bracket - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5340-01-324-5036



### Mounting Hole Type: Plain First Leg Length: 0.500 inches Second Leg Length: Between 0.560 inches and 0.620 inches Second Leg Width: Between 1.720 inches and 1.780 inches Second Leg Hole Diameter: Between 0.185 inches and 0.188 inches Second Leg Distance From Edge To Hole Center Along Width: 0.500 inches Second Leg Distance From Edge To Hole Center Along Length: 0.250 inches **First Leg Thickness:** 0.0597 inches Second Leg Thickness: 0.0597 inches First Leg Width: Between 0.720 inches and 0.780 inches First Leg Corner Radius: 0.120 inches First Leg Style: Corner radius First Leg Hole Arrangement Style: No hole Second Leg Hole Arrangement Style: One hole **Criticality Code Justification:** Zzzy Second Leg Relationship To First Leg: Not identical First Leg Angle: 90.0 degrees Second Leg Chamfer Angle: Between 28.0 degrees and 32.0 degrees **Special Features:** Item must comply with requirements of defense supply center philadelphia production standard no. Po0012nrp; opposite of kh394a Material: Steel comp 304 Surface Treatment:

Passivate

# NSN 5340-01-324-5036

Angle Bracket - Page 2 of 2



#### Special Test Features (non-core):

Special quality control testing

#### Style Designator:

Angle

#### **Departure From Cited Document:**

As modified by material

### **Reference Number Differentiating Characteristics:**

Areference number differentiating material will be in accordance with naval inventory control point activity hx quality control. Manufacturing

and testing specifications available at the dla icp

Shelf Life:

N/a

Unit Of Measure:

---

#### Demilitarization:

No

Fiig:

A042a0