

View Online at <https://aerobasegroup.com/nsn/5340-01-327-4354>

**Mounting Hole Type:**

Threaded and plain

**First Leg Length:**

0.428 inches

**Second Leg Length:**

0.720 inches

**Second Leg Width:**

3.250 inches

**First Leg Hole Diameter:**

0.089 inches

**First Leg Thickness:**

0.250 inches

**Second Leg Thickness:**

0.150 inches

**Center Section Height:**

1.400 inches

**Center Section Width:**

3.250 inches

**Center Section Thickness:**

0.150 inches

**First Leg Width:**

3.250 inches

**First Leg Distance Between Hole Centers Along Width:**

2.750 inches

**First Leg Distance From Edge To Hole Center Along Width:**

0.250 inches

**First Leg Distance From Edge To Hole Center Along Length:**

0.125 inches

**First Leg Style:**

Square

**First Leg Hole Arrangement Style:**

Two holes

**Second Leg Style:**

Cut out

**Second Leg Hole Arrangement Style:**

No hole

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Second Leg Angle:**

90.0 degrees

**Second Leg Cutout Length:**

0.480 inches

**Second Leg Cutout Width:**

2.290 inches

**Special Features:**

Second leg has two notches inside of cutouts, 0.188 in. Min and 0.193 in. Maximum hole diameter two places center section

**Material:**

Aluminum alloy 7075 or aluminum alloy 6061

**Material Specification:**

Qq-a-200/11, t651 federal specification 1st material response or qq-a-200/8, t651 federal specification 2nd material response

**Surface Treatment:**

Anodize

**Surface Treatment Specification:**

Mil-f-14072 military specification single treatment response

**Style Designator:**

Adjacent angles

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-f-14072 spec.