NSN 5340-01-327-4354

Double Angle Bracket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5340-01-327-4354

Mounting Hole Type:
Threaded and plain
First Leg Length:
0.428 inches
Second Leg Length:
0.720 inches
Second Leg Width:
3.250 inches
First Leg Hole Diameter:
0.089 inches
First Leg Thickness:
0.250 inches
Second Leg Thickness:
0.150 inches
Center Section Height:
1.400 inches
Center Section Width:
3.250 inches
Center Section Thickness:
0.150 inches
First Leg Width:
3.250 inches
First Leg Distance Between Hole Centers Along Width:
2.750 inches
First Leg Distance From Edge To Hole Center Along Width:
0.250 inches
First Leg Distance From Edge To Hole Center Along Length:
0.125 inches
First Leg Style:
Square
First Leg Hole Arrangement Style:
Two holes
Second Leg Style:
Cut out
Second Leg Hole Arrangement Style:
No hole
Second Leg Relationship To First Leg:
Not identical
First Leg Angle:
90.0 degrees
Second Leg Angle:
90.0 degrees

NSN 5340-01-327-4354

Double Angle Bracket - Page 2 of 2



Second Leg Cutout Length:
0.480 inches
Second Leg Cutout Width:
2.290 inches
Special Features:
Second leg has two notches inside of cutouts, 0.188 in. Min and 0.193 in. Maximum hole diameter two places center section
Material:
Aluminum alloy 7075 or aluminum alloy 6061
Material Specification:
Qq-a-200/11, t651 federal specification 1st material response or qq-a-200/8, t651 federal specification 2nd material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-f-14072 military specification single treatment response
Style Designator:
Adjacent angles
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A042a0
Mil-std (military Standard):
Mil-f-14072 spec.