

View Online at <https://aerobasegroup.com/nsn/5340-01-327-9974>

**Cross Sectional Shape:**

Flat

**Slot Width:**

Between 0.208 inches and 0.248 inches

**Width:**

Between 4.855 inches and 4.895 inches

**Edge Shape:**

Rectangle, rounded corners, multi holes

**Length:**

13.560 inches

**Corner Radius:**

0.250 inches

**Hole Quantity Along Width:**

4

**Distance Between Holes Along Length:**

1.175 inches and 0.850 inches and 1.700 inches

**Distance Between Holes Along Width:**

1.470 inches

**Securing Device Type:**

Turnlock fastener

**Mounting Opening Shape Style:**

Closed vertical slot

**End Application:**

Gps user equipment

**Special Features:**

There are 12 slotted holes (legend a) along the length rotated 90 deg, there is also 7 holes diameter 0.250 to 0.255 in. W/blk screening on opposite side that are concentric with holes form 0.060 in.; there are 6 holes diameter 0.219 form 0.001 in.(legend c) located along length; paint is p513.1e gray, overspray permissible; after screening, coat with 2 coats of polyurethane; item consists of 1 gasket cover p/n 687-7224-001, 6 0.164-32 clinch nuts p/n m45938/5-7, 7 turnlock stud fasteners p/n 012-1355-000, 7 retaining rings p/n 340-1884-020, 7 sealing washers p/n 310-0147-010

**Material:**

Aluminum alloy 5052

**Material Specification:**

Qq-a-250/8 h32 federal specification single material response

**Surface Treatment:**

Paint

**Surface Treatment Specification:**

Mil-f-14072, type 1 or 2 military specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

**Mil-std (military Standard):**

Mil-f-14072 spec.