

View Online at <https://aerobasegroup.com/nsn/5340-01-330-6392>

**Mounting Hole Type:**

Countersunk and plain

**First Leg Length:**

2.386 inches

**Second Leg Length:**

3.500 inches

**Second Leg Width:**

2.200 inches

**First Leg Hole Diameter:**

0.261 inches

**Second Leg Hole Diameter:**

0.281 inches

**Second Leg Distance Between Hole Centers Along Width:**

1.500 inches

**Second Leg Distance Between Hole Centers Along Length:**

1.000 inches

**Second Leg Distance From Edge To Hole Center Along Width:**

0.350 inches

**Second Leg Distance From Edge To Hole Center Along Length:**

0.500 inches

**First Leg Thickness:**

0.690 inches

**Second Leg Thickness:**

0.280 inches

**First Leg Width:**

3.661 inches

**Second Leg Style:**

Square

**Second Leg Hole Arrangement Style:**

Four holes

**Second Leg Relationship To First Leg:**

Not identical

**First Leg Angle:**

90.0 degrees

**Special Features:**

Additional holes 1st leg, 0.515 in. Diameter and 0.1865 in. Min and 0.1870 in. Maximum dia; inserts, ms124656 installed in all 0.261 diameter holes; diamond pin installed on first leg; hole in gusset 0.625 in. Dia; color number 26555, fed-std-595

**Material:**

Aluminum alloy 6061

**Material Specification:**

Qq-a-250/11, t651 federal specification single material response

**Surface Treatment:**

Plastic polyamide and plastic epoxy

**Surface Treatment Specification:**

Mil-c-22750, class 1, type 2 military specification single treatment response

**Style Designator:**

Angle

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A042a0

**Mil-std (military Standard):**

Mil-c-22750 spec.