

View Online at <https://aerobasegroup.com/nsn/5340-01-330-6392>

Mounting Hole Type:

Countersunk and plain

First Leg Length:

2.386 inches

Second Leg Length:

3.500 inches

Second Leg Width:

2.200 inches

First Leg Hole Diameter:

0.261 inches

Second Leg Hole Diameter:

0.281 inches

Second Leg Distance Between Hole Centers Along Width:

1.500 inches

Second Leg Distance Between Hole Centers Along Length:

1.000 inches

Second Leg Distance From Edge To Hole Center Along Width:

0.350 inches

Second Leg Distance From Edge To Hole Center Along Length:

0.500 inches

First Leg Thickness:

0.690 inches

Second Leg Thickness:

0.280 inches

First Leg Width:

3.661 inches

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

Four holes

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Special Features:

Additional holes 1st leg, 0.515 in. Diameter and 0.1865 in. Min and 0.1870 in. Maximum dia; inserts, ms124656 installed in all 0.261 diameter holes; diamond pin installed on first leg; hole in gusset 0.625 in. Dia; color number 26555, fed-std-595

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-250/11, t651 federal specification single material response

Surface Treatment:

Plastic polyamide and plastic epoxy

Surface Treatment Specification:

Mil-c-22750, class 1, type 2 military specification single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A042a0

Mil-std (military Standard):

Mil-c-22750 spec.