

View Online at <https://aerobasegroup.com/nsn/5340-01-333-1261>

Mounting Hole Type:

Plain

First Leg Length:

1.500 inches

Second Leg Length:

2.500 inches

Reinforcement Method:

Turned edge first leg and gusset first leg

Second Leg Width:

2.500 inches

Second Leg Hole Diameter:

0.213 inches

First Leg Thickness:

0.063 inches

Second Leg Thickness:

0.063 inches

Center Section Height:

1.400 inches

Center Section Width:

3.320 inches

Center Section Thickness:

0.063 inches

First Leg Width:

2.820 inches

First Leg Style:

Square

Second Leg Relationship To First Leg:

Not identical

First Leg Angle:

90.0 degrees

Second Leg Angle:

90.0 degrees

Special Features:

Furn w/2 nutplates, 4 rivets

Material:

Steel comp 321 or steel comp 347

Material Specification:

Ams 5510 assn standard 1st material response or ams 5512 assn standard 2nd material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-std-1516, code p military standard single treatment response

Style Designator:

Double angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A042a0

Mil-std (military Standard):

Mil-std-1516 spec.