

View Online at <https://aerobasegroup.com/nsn/5340-01-333-9985>

Mounting Hole Type:

Plain

First Leg Length:

Between 0.610 inches and 0.650 inches

Second Leg Length:

Between 0.990 inches and 1.030 inches

Second Leg Width:

Between 0.990 inches and 1.030 inches

First Leg Hole Diameter:

Between 0.210 inches and 0.216 inches

Second Leg Distance From Edge To Hole Center Along Width:

Between 0.490 inches and 0.510 inches

Second Leg Distance From Edge To Hole Center Along Length:

Between 0.140 inches and 0.160 inches

Second Leg Slot Width:

Between 0.187 inches and 0.201 inches

First Leg Thickness:

Between 0.125 inches and 0.135 inches

Second Leg Thickness:

Between 0.125 inches and 0.135 inches

First Leg Width:

Between 0.990 inches and 1.030 inches

First Leg Distance From Edge To Hole Center Along Width:

Between 0.490 inches and 0.510 inches

First Leg Distance From Edge To Hole Center Along Length:

0.270 inches

First Leg Style:

Square

First Leg Hole Arrangement Style:

One hole

Second Leg Style:

Square

Second Leg Hole Arrangement Style:

One slot

Features Provided:

Nut

Second Leg Relationship To First Leg:

Identical

First Leg Angle:

90.0 degrees

Material:

Aluminum alloy 6061

Material Specification:

Qq-a-225/8 federal specification single material response

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-std-171 military standard single treatment response

Style Designator:

Angle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A042a0

Mil-std (military Standard):

Mil-std-171 spec.